

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	31076	monitor & application & scan & source	US-PGPUB; USPAT	OR	OFF	2004/11/02 08:06
S2	1804	modif\$8 & message & severity & notif\$8 & locat\$4	US-PGPUB; USPAT	OR	OFF	2004/10/27 12:02
S3	8698	(import\$3 manag\$3 export\$3) near3 module	US-PGPUB; USPAT	OR	OFF	2004/10/27 12:03
S4	6473	(import\$3 manag\$3 export\$3) near2 module	US-PGPUB; USPAT	OR	OFF	2004/10/27 12:04
S5	429	S1 & S2	US-PGPUB; USPAT	OR	OFF	2004/10/27 12:04
S6	63	S4 & S5	US-PGPUB; USPAT	OR	OFF	2004/10/27 12:05
S7	3854820	@ad<"20011231" @rlad<"20011231" @prad<"20011231"	US-PGPUB; USPAT	OR	OFF	2004/10/27 12:07
S8	380	S5 & S7	US-PGPUB; USPAT	OR	OFF	2004/10/27 12:45
S9	5377	S4 & S7	US-PGPUB; USPAT	OR	OFF	2004/10/27 12:07
S10	59	S8 & S9	US-PGPUB; USPAT	OR	OFF	2004/10/27 12:07
S11	380	S8 not "435".ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/27 12:46
S12	277	S8 not "435".clas.	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:00
S13	31167	monitor & application & scan & source	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:00
S14	1812	modif\$8 & message & severity & notif\$8 & locat\$4	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:00
S15	430	S13 & S14	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:00
S16	3856383	@ad<"20011231" @rlad<"20011231" @prad<"20011231"	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:00
S17	380	S15 & S16	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:00
S18	277	S17 not "435".clas.	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:00
S19	76	S18 & parse	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:57
S20	150	S18 & extract	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:01
S21	59	S19 & extract	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:02

S22	340	pars\$3 adj2 source adj (code or file)	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:58
S23	152	S22 & extract\$3	US-PGPUB; USPAT	OR	OFF	2004/10/28 08:59
S24	128	S23 & S16	US-PGPUB; USPAT	OR	OFF	2004/10/28 11:28
S25	3	((("6735721") or ("6691138") or ("6732359"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 15:49
S26	3856383	@ad<"20011231" @rlad<"20011231" @prad<"20011231"	US-PGPUB; USPAT	OR	OFF	2004/11/01 12:53
S27	95	S26 & source adj (code or file) & (modify or modifying or modified or modifiable or modification or modifications) & (extract or parse) & (gui or graphic\$2) & user & interface & monitor & severity not "Bowman-Amuah".in.	US-PGPUB; USPAT	OR	OFF	2004/11/01 12:54
S28	3858267	@ad<"20011231" @rlad<"20011231" @prad<"20011231"	US-PGPUB; USPAT	OR	OFF	2004/11/02 08:07
S29	8867	S28 & translat\$3 & source adj (code or file)	US-PGPUB; USPAT	OR	OFF	2004/11/02 08:07
S30	5010	S29 & monitor	US-PGPUB; USPAT	OR	OFF	2004/11/02 08:08
S31	4676	S30 & interface	US-PGPUB; USPAT	OR	OFF	2004/11/02 08:08
S32	383	S31 & message & severity	US-PGPUB; USPAT	OR	OFF	2004/11/02 10:25
S33	92	("Sherlock, Kieran G." "Cooper, Geoffrey" "Valente, Luis" "Amador, Jose" "Wang, Paul" "Shaw, Robert A." "Cornwall, Kevin").in.	US-PGPUB; USPAT	OR	OFF	2004/11/02 09:01
S34	390	("Sherlock, Kieran" "Cooper, Geoffrey" "Valente, Luis" "Amador, Jose" "Wang, Paul" "Shaw, Robert" "Cornwall, Kevin").in.	US-PGPUB; USPAT	OR	OFF	2004/11/02 09:01
S35	269	("Sherlock, Kieran" "Cooper, Geoffrey" "Valente, Luis" "Amador, Jose" "Wang, Paul" "Shaw, Robert" "Cornwall, Kevin").in. & S28	US-PGPUB; USPAT	OR	OFF	2004/11/02 09:02
S36	3	((("5781720") or ("5600789") or ("6289382"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/02 09:56

S37	185	(S31 & (message or alarm or exception or error) & severity) not S32	US-PGPUB; USPAT	OR	OFF	2004/11/02 11:23
S38	211	(S31 & (message or alarm or exception or error or event) & severity) not S32	US-PGPUB; USPAT	OR	OFF	2004/11/02 11:24
S39	26	(S31 & (message or alarm or exception or error or event) & severity) not S32 not S37	US-PGPUB; USPAT	OR	OFF	2004/11/02 11:24
S40	17	("5325533" "5345550" "5446842" "5495567" "5519866" "5734837" "5917730" "5956479" "6072490" "6088028" "6104393" "6134559").PN. OR ("6269475").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/03 09:40
S41	3858267	@ad<"20011231" @rlad<"20011231" @prad<"20011231"	US-PGPUB; USPAT	OR	OFF	2004/11/03 09:41
S42	209	S41 & system near2 monitor & rule near3 file	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/03 10:27
S43	68	S41 & (system near monitor) & ((policy or rule) near file) & (modify or modifying or modified or modifiable or modification or modifications) & (creat\$3 or generat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/03 10:30
S44	4509	(scan\$4 or pars\$3) same (source near5 (code or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:59
S45	399885	(extract\$4 or select\$4) same display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:20
S46	44870	messag\$3 near5 (alarm or alert\$4 or event or exception or notif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:15
S47	3955	modif\$8 same messag\$3 same (severity or attribute or level or degree or extent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:03

S48	4385	(assign\$3 or re adj assign\$3) same messag\$3 same (severity or degree or attribute or level or degree or extent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:16
S49	143011	S45 same (GUI or graphic\$2 user interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:19
S50	11775	S46 & S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:20
S51	238	S44 & S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:20
S52	55	(S47 S48) & S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:20
S53	72131	messag\$3 near5 (alarm or alert\$4 or event or error or exception or notif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:15
S54	7678	(assign\$3 or re adj assign\$3 or modif\$8) same messag\$3 same (severity or degree or attribute or level or degree or extent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:16
S55	143144	(extract\$4 or select\$4) same display\$3 same (GUI or graphic\$2 user interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:20
S56	4516	(scan\$4 or pars\$3) same (source near5 (code or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:24
S57	70	S53 & S54 & S55 & S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:59

S58	26	("5530852" "5832496" "5870746" "5895476" "5907704" "5909684" "5913065" "5928323" "5944783" "5956737" "6012066").PN. OR ("6085196").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 08:50
S59	98	("6407131" "6475753" "6312924" "6261840" "6284538" "6306832" "6335316" "6426072" "6395734" "6287765" "6436703" "6300098" "5898028" "6043214" "6277619" "6440933" "6441015" "6376549" "6403337" "6369075" "5792643" "6407105" "6531448" "6316429" "6310075" "6395751" "6251902" "6380223" "6429313" "6432945" "6433171" "6420411" "6423735" "6423736" "6329336" "6541606" "5955448" "6313102" "6361985" "6416988" "6274608" "6451838" "6468543" "6271030" "6368856" "6426188" "6458591" "6264947" "6329375" "6051551").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:59
S60	4516	(scan\$4 or pars\$3) same (source near5 (code or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 12:59
S61	400139	(extract\$4 or select\$4) same display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 12:59
S62	44919	messag\$3 near5 (alarm or alert\$4 or event or exception or notif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 12:59
S63	143144	S61 same (GUI or graphic\$2 user interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 12:59
S64	11785	S62 & S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 12:59
S66	239	S60 & S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 13:01

S67	27	("3599156" "4635260" "4654852" "4831525" "4831580" "4845665" "4858102" "4888690" "5036318" "5040142" "5128776" "5134501" "5287449" "5339238" "5347646" "5432795").PN. OR ("5673390").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 13:49
S68	1	("5530852").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 14:36
S69	6077	(translat\$3 or transform\$5 or chang\$3) near5 numerical	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 09:21
S70	108	S69 near5 (low or moderate or medium or high or severe or extreme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 09:21
S71	6025	((translat\$3 or transform\$5 or chang\$3) near5 (numeric\$2 or number\$3) near5 (low or moderate or medium or high or severe or extreme)) not aperture	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 09:22
S72	3863127	@ad<"20011231" @rlad<"20011231" @prad<"20011231"	US-PGPUB; USPAT	OR	OFF	2004/11/12 15:13
S73	5391	S71 & S72	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 15:19
S74	3190	S73 & word	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 15:19
S75	2223	S74 & monitor	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 15:20
S77	95	(S75 & compatib\$5) not nucleic	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 15:22
S78	6077	(translat\$3 or transform\$5 or chang\$3) near5 numerical	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 09:24
S79	6936	(@ad<"20011231" @rlad<"20011231" @prad<"20011231") & ((translat\$3 or transform\$5 or chang\$3) near10 (numeric\$2 or number\$3) near10 (low or moderate or medium or high or severe or extreme)) not (aperture or nucleic or S78)	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 09:25

S81	653	S79 & (word or lexical or textual) & compatib\$5	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 09:41
S82	3275	represent\$5 near3 (number\$4 or numeric\$2) near3 (word\$4 or textual or lexical)	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 09:44
S83	3863127	@ad<"20011231" @rlad<"20011231" @prad<"20011231"	US-PGPUB; USPAT	OR	OFF	2004/11/15 09:44
S84	3837690	"3" & S83	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 09:45
S89	547	S85 & compatib\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 09:54
S91	403	S89 not ((binary or digital) adj word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 09:59
S92	277	S89 not ((binary or digital or data or memory) adj word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:24
S93	2	converting adj numerical near4 textual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:46
S94	0	converting adj textual near4 numerical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:46
S95	1	converting adj (lexical or textual or word\$3) near4 numerical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:48
S96	6	converting adj (lexical or textual or word\$3) near4 (numeric\$2 or number\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:50

S97	38	("4279012" "4849880" "5021976" "5062060" "5086385" "5321829" "5335323" "5400246").PN. OR ("5657221").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 10:54
S98	14	("3393270" "4295124" "4558302" "4599612" "4624008" "4685060" "4748638" "4782325" "4791587" "4811399" "4843389" "4866445" "4896357").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 11:23
S99	44	extract\$3 with source adj (code file) same stor\$4 & log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:03
S10 1	122	S100 & (sav\$3 stor\$3) with (error message) with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 12:22
S10 2	55	S100 & application with (error message) with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 11:37
S10 3	5	S100 & high adj medium adj low	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 11:42
S10 4	76	S100 & sever\$4 with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 11:49
S10 6	19	S100 & generat\$3 with (error message) with (save stor\$4) with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 11:58
S10 7	0	display with table with GUI with message with (save\$1 stor\$3 locat\$3) with (severity attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 12:04

S108	0	(message with (save\$1 stor\$3 locat\$3) with (severity attribute)) same (display with table with GUI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 12:05
S109	1	((message error notice notifi\$6) with (save\$1 stor\$3 written recorded locat\$3) with (severity attribute level)) same (display with table with GUI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 12:08
S110	1	((message error notice notifi\$6) with (save\$1 stor\$3 written recorded locat\$3) with (severit\$3 attribute level)) same (table with GUI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 12:08
S111	43	((message error notice notifi\$6) with (save\$1 stor\$3 written recorded locat\$3) with (severit\$3 attribute level)) same (display with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 12:09
S114	2	"5761510".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 12:28
S115	224	(error message) with generat\$3 with (program application) with (stor\$3 save\$1 writ\$3 record\$3) with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 12:31
S117	6	("5121475" "6090154" "6269460" "6381736" "6526529" "6574792").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/18 13:47
S118	1	"6438716".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/18 13:48